



STJ

In the United States Patent and Trademark Office

Application / Control Number: 10/808,838  
Application Filed: March 24, 2004  
Amendment A Filed: July 1, 2005  
Amendment B Filed: Nov. 28, 2005  
Applicant: John W. Lundstrom  
Title: Soil Penetrating Electrode With Conical Taper  
Examiner / GAU: Kramskaya, Marina / 2858

**Response to Notice of Non-Compliant Amendment**

Mail Stop Non-Fee Amendments

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

In response to the Office Communication mailed on January 25, 2006, and in regard to "3. Amendments to the drawings:" please find attached the previously submitted drawing "Figure 1", which has now been marked "Replacement Sheet".

In regard to "4. Amendments to the Claims:", please find attached one page of Claims that have been marked "Previously presented".

I trust that this will satisfy the referenced Notice of Non-Compliant Amendment.

Very respectfully,

*John W. Lundstrom*

Applicant Pro Se

Enc'l: Drawing "Figure 1"

Claims 5, 6, 7

603 Crestview Dr.  
Glendora, CA 91741-2944

Tel: 909 392 5833      Fax: 909 392 5838      email: [pentaenqr@aol.com](mailto:pentaenqr@aol.com)

I hereby certify that this correspondence, and attachments will be deposited with the United States Postal Service by First Class Mail, postage prepaid, in an envelope addressed to "Box Non-Fee Amendments, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date below:

Date: February 6, 2006

Inventor's Signature: *John W. Lundstrom*